

WiFi+RF RGBW+IC Dream
Color Festoon Lighting Kit

WiFi+RF RGBW+IC Dream Color Festoon Lighting Kit




Product features


- WIFI + Bluetooth dual-mode communication, fast network speed
- RGBW 4 in 1 high-quality lamp beads, 16 million colors
- S14G bulb with built-in light guide column, even and soft light emission
- Auxiliary lighting and RGBIC colorful ambient light double all-in-one
- Support button, TUYA APP intelligent operation / remote control
- Configuration of RF433 remote control, long-distance remote control operation
- Support Amazon Alexa, Google Assistant and other voice control
- Support timer, countdown, sharing and memory functions.
- 20 kinds of scene mode, color, brightness, music mode optional
- The first and last are connected by terminals, with a variety of shapes and series connection.
- 360-degree rotating hook design, easy to hang and install.
- Waterproof interface, potting package, IP65 waterproof for indoor and outdoor usage



APP functions




Dimension



1 : Input voltage: DC12V 2 : LED light connector

3 : Function button: Switch ON-switch mode-switch off

Wiring diagram



Instructions of remote

| | | |
|----|--------------|--|
| 1 | ON | ON |
| 2 | OFF | OFF |
| 3 | ☀ | Brightness Increase |
| 4 | ⚙ | Brightness Reduction |
| 5 | + | Speed Up |
| 6 | - | Speed Down |
| 7 | Static Color | Red→Green→Blue Yellow←Warmwhite Cyan→Orange→Purple |
| 8 | Multi | 8 colors fixed |
| 9 | Random | 8 colors flash randomly |
| 10 | Strobe | Switchable & random mode with background color |
| 11 | Breath | Optional 8-color breath + automatic 8-color breath |
| 12 | Flash | Switchable 8-color flash + automatic 8-color flash |



Applications:



Parameters

| | | | |
|--------------------|-------------------------------------|------------------------|------------------------|
| Model No. | DCWZC4-24TC | | |
| LEDs Specification | (1String) 15m 15 LEDs | (2String) 30m 30LEDs | (3String) 45m 45LEDs |
| Bulb Model. | S14 bulb, E26 spiral head | | |
| Surface Technology | Black (White support customization) | | |
| Remote distance | ≤20M | | |
| Connection | WIFI+BLE+433 | | |
| Working Volt | 12V | | |
| Power | 9W | 18W | 27W |
| Power adapter | 12V/12W | 12V/18W | 12V/36W |
| LEDs | 5050 RGBW | | |
| colour temperature | 3000K | | |
| CRI | ≥85 | | |
| Luminous | 140 lm | 280 lm | 420lm |
| IP rating | IP65 | | |

Packing list

| Name | (1String) 15m 15LEDs | (2String) 15m 30LEDs | (3String) 15m 45LEDs |
|---------------|------------------------|------------------------|------------------------|
| power adapter | 12V12W*1 | 12V18W*1 | 12V36W*1 |
| 433 Remote | 1 | 1 | 1 |
| Cable Tie | 15 | 30 | 45 |
| Adhesive | 1 | 1 | 1 |
| Manual | 1 | 1 | 1 |