



RGBIC+CCTIC LED Strip Kit

- The strip light can be partitioned control, and divided into two independent areas(RGB and CCT), each area controlled by one related IC.
- Independent dimming, independently adjust the brightness of the LED lights in the area under its control.
- By adjusting the current of red, green, blue to control the colour of the lights in each area, to achieve a variety of colours of the lighting effect.
- IR remote control, a variety of modes to choose.
- RGB 16 million colours, digital colour changes.
- The strip light can achieve synchronous or asynchronous control according to needs.
















Model	STIH-37T5
Dimension	5000*12mm
Color	R/G/B/C/W
Voltage	24V
ССТ	2850±150K-6500K±500K
POWER	24W
Control way	IR remote
IP Rating	IP65
Remote distance	3-5m

JK (











IP rating >>>>>>











Packing info. >>>>>



Notes >>>>>







DO NOT FOLD, CREASE, O



DO NOT BEND LED STRIP LIGH ON A HORIZONTAL PLANE.



PRESSURE DO



E DO NOT COVER STRIP LIGHT WITH ANY MATERIALS.



DO NOT POWER STRIP LIGHT WHILE ATTACHED TO SPOOL OR TIGHTLY COILED.

WARNING **A**

- Prohibit to switch on the power during installation or assembly, power idencal to Led strip required input voltage only can be connected and powered on after finish connection, installation and fixation.
- During installation and using, do not use blunt instrument to strike the Led strip, and toavoid heavy pressure, falling damage or be covered, good heat dissipation must be guaranteed.
- Do not lighting Led strip for long time when it was rolled-up, stacked together or still inpacking material (shall not exceed 1 minute).
- Cannot be installed in water, inflammable or explosive environment, good ventilation must be guaranteed.
- Only can be cut in places with cutting symbol, otherwise one loop unit will be broken and cannot light.







Application >>>>>>







Shenzhen CL Lighting Technology Co., Ltd.

CL Lighting Technology Park, No. 1 Jintai Road, Baoan District, Shenzhen City, Guangdong Province

TEL/FAX: 0755-23088606 Email: CL@banqcn.com







